


# LKV362

USB 3.0 TO HDMI CONVERTER



Extend your desktop with high resolution dual or multi display support. It provides you with the easiest and multiple device integration onto a PC or iMac or notebook using its HDMI connections. It is designed to add a HDMI port to any computer (Mac or PC) and has limitless applications in both consumer and commercial environments. From digital signage to home theater, the all new USB2-HDMI provides a simple solution for viewing content from a computer on any HDTV making it the perfect device for any consumer or commercial application. Set up is as simple as plug and play; convenient for any user, no matter the level of technical knowledge.





## Features

- HDTV or projector compatible,
- It supports resolution up to 1920x1080 (1080P) 32bit true color
- It is capable of mirroring or extending display;
- Standard and wide-screen both are supported (4:3 or 16:9)
- Compatible with all kinds of CRT and LCD monitors;
- Auto display ID by VESA compliant protocols;
- Audio embeded with HDMI;
- Easy installation;
- Powered from USB and not extra power adapter is needed

## Accessories & Package

- USB to HDMI converter adapter
- User manual x1pc
- CD Driver x1pc

## FAQ

Q: No image output or abnormal display.

- A: 1). Re-plug USB or change to other PC USB ports  
 2). Unplug USB and restart computer  
 3). Adjust converter output resolution till it is compatible with TV  
 4). If all the above can't do, re-install CD driver

Q: The device can work normally, but refuses to work after the HDMI cable is re-connected.

A: Unplug HDMI cable is not allowed when the device is working, or the device will refuse to work till the USB cable is unplugged and plugged in again.

Q: Some video can't play normally by some media player software.

A: Media player software is not compatible with the driver. Try another media player software, or update the media player software and the driver.

Q: Abnormal display after adjusting the resolution of the device

A: Don't keep other program running, e.g. play video, when you set resolution or output mode of the device.

Q: Under XP OS, the video display becomes abnormal after the output model of the device is adjusted by the display properties.

A: The computer system is not compatible with the driver. Please use the software of the device to adjust output mode.(see part 4 operating instructions)

Q:The device doesn't work after restart.

A: Please don't connect the device before the computer system is completely started, or the device will not be detected by the computer and work normally.